



Statistical Breakdown

Active Sires																	
Expected Progeny Differences														Index Values			
Growth and Maternal								Intake and Carcass									
	CED	BW	WW	YW	Milk	TM	CEM	STAY	YG	CW	CREA	MARB	CFAT	CEZ	BMI	F	Fescue
Num Animals	3081	3081	3081	3081	3081	3081	3081	3081	3081	3081	3081	3081	3081	3079	3079	3079	
High	26	9.0	92	140	35	80	19	26	0.28	52	1.18	1.13	0.07	89.50	170.52	76.18	0.00
Average	8	1.5	51	75	19	44	4	12	-0.36	-12	0.07	-0.05	-0.10	27.58	117.97	52.01	0.00
Low	-5	-8.4	18	23	4	24	-9	0	-0.85	-49	-0.54	-0.53	-0.22	-21.76	68.68	34.15	0.00
1%	19	-4.6	75	115	29	59	13	22	-0.56	18	0.51	0.32	-0.14	66.84	153.24	64.24	0.00
2%	18	-3.8	71	108	28	57	12	21	-0.54	13	0.44	0.24	-0.14	62.76	148.41	62.46	0.00
3%	17	-3.4	68	104	27	56	11	20	-0.52	8	0.40	0.19	-0.13	59.70	145.64	61.04	0.00
4%	16	-2.9	66	100	26	55	11	20	-0.50	5	0.36	0.16	-0.13	57.14	143.77	60.26	0.00
5%	16	-2.6	65	98	25	54	10	19	-0.49	3	0.35	0.14	-0.13	55.20	142.43	59.57	0.00
10%	14	-1.6	61	92	24	52	9	18	-0.46	-3	0.27	0.08	-0.12	48.62	136.54	57.45	0.00
15%	13	-0.9	59	89	23	50	8	17	-0.45	-5	0.22	0.03	-0.12	43.81	132.78	56.13	0.00
20%	12	-0.4	58	86	22	49	7	15	-0.43	-7	0.19	0.01	-0.12	40.09	129.73	55.32	0.00
25%	11	0.0	56	84	21	48	7	15	-0.42	-9	0.16	-0.01	-0.11	37.25	127.06	54.58	0.00
30%	10	0.4	55	82	21	47	6	14	-0.40	-10	0.14	-0.02	-0.11	34.91	124.68	53.92	0.00
35%	10	0.8	54	80	20	46	6	13	-0.39	-11	0.11	-0.04	-0.11	32.74	122.60	53.32	0.00
40%	9	1.1	53	78	20	45	5	13	-0.38	-12	0.09	-0.05	-0.11	30.81	121.01	52.80	0.00
45%	9	1.4	52	77	19	45	5	12	-0.37	-12	0.07	-0.06	-0.11	28.92	119.35	52.32	0.00
50%	8	1.6	51	75	19	44	4	11	-0.36	-13	0.06	-0.07	-0.10	27.03	117.59	51.89	0.00
55%	8	1.9	50	73	18	43	4	11	-0.35	-14	0.04	-0.08	-0.10	24.85	116.04	51.42	0.00
60%	7	2.2	49	72	18	43	3	10	-0.34	-15	0.02	-0.09	-0.10	22.60	113.99	50.92	0.00
65%	6	2.5	48	70	17	42	3	10	-0.33	-16	0.00	-0.09	-0.10	20.67	112.28	50.36	0.00
70%	6	2.8	47	68	17	41	2	9	-0.32	-16	-0.02	-0.10	-0.09	18.56	110.75	49.81	0.00
75%	5	3.1	45	66	16	41	2	8	-0.31	-18	-0.04	-0.11	-0.09	16.38	108.63	49.25	0.00
80%	5	3.5	44	64	16	40	1	8	-0.29	-19	-0.06	-0.12	-0.09	13.84	106.31	48.55	0.00
85%	4	3.8	43	61	15	39	0	7	-0.28	-20	-0.09	-0.14	-0.08	11.10	103.91	47.67	0.00
90%	3	4.4	41	58	14	38	-1	6	-0.26	-22	-0.13	-0.16	-0.08	8.30	100.06	46.72	0.00
95%	2	5.0	38	53	13	36	-2	5	-0.22	-25	-0.18	-0.20	-0.07	3.81	94.26	44.87	0.00

Includes all active animals that meet the listing qualifications regardless of Shorthorn %

Active Sires



Statistical Breakdown

Active Dams																	
Expected Progeny Differences														Index Values			
Growth and Maternal									Intake and Carcass								
	CED	BW	WW	YW	Milk	TM	CEM	STAY	YG	CW	CREA	MARB	CFAT	CEZ	BMI	F	Fescue
Num Animals	22048	22048	22048	22048	22048	22048	22048	22048	22048	22048	22048	22048	22048	22023	22023	22023	
High	24	10.9	90	142	37	82	20	28	0.24	45	0.84	0.83	0.08	84.65	169.17	73.67	0.00
Average	7	2.0	51	74	18	44	4	11	-0.35	-12	0.06	-0.05	-0.10	24.91	115.38	51.72	0.00
Low	-5	-7.7	20	26	-2	22	-11	-3	-0.73	-48	-0.55	-0.41	-0.18	-21.24	73.32	36.19	0.00
1%	17	-3.4	71	107	29	60	12	22	-0.53	11	0.43	0.29	-0.14	60.49	146.83	61.71	0.00
2%	16	-2.8	67	102	27	57	11	21	-0.51	8	0.38	0.23	-0.13	56.96	143.21	59.99	0.00
3%	15	-2.3	65	98	26	55	10	20	-0.49	5	0.34	0.18	-0.13	54.15	140.49	59.08	0.00
4%	15	-2.0	64	96	26	54	10	20	-0.48	3	0.32	0.15	-0.13	51.52	138.67	58.44	0.00
5%	14	-1.7	63	95	25	53	10	19	-0.47	2	0.30	0.12	-0.13	49.43	137.11	57.95	0.00
10%	12	-0.8	60	90	23	51	8	17	-0.45	-3	0.24	0.06	-0.12	43.17	131.74	56.41	0.00
15%	11	-0.2	58	87	22	49	7	16	-0.43	-6	0.19	0.02	-0.12	39.20	128.11	55.46	0.00
20%	11	0.3	57	84	21	48	7	15	-0.42	-8	0.17	0.00	-0.12	36.40	125.41	54.69	0.00
25%	10	0.6	55	82	21	47	6	14	-0.40	-9	0.14	-0.02	-0.11	33.86	123.04	54.04	0.00
30%	9	1.0	54	80	20	46	6	13	-0.39	-10	0.12	-0.03	-0.11	31.80	121.23	53.50	0.00
35%	9	1.3	53	79	19	45	5	12	-0.38	-10	0.10	-0.04	-0.11	29.77	119.52	52.99	0.00
40%	8	1.6	52	77	19	45	5	12	-0.37	-11	0.08	-0.05	-0.11	27.88	117.91	52.51	0.00
45%	8	1.8	51	76	19	44	4	11	-0.37	-12	0.07	-0.06	-0.10	26.11	116.49	52.05	0.00
50%	7	2.1	50	74	18	43	4	11	-0.36	-13	0.05	-0.07	-0.10	24.33	114.96	51.59	0.00
55%	7	2.4	50	72	18	43	3	10	-0.35	-13	0.04	-0.08	-0.10	22.55	113.48	51.13	0.00
60%	6	2.6	49	71	17	42	3	10	-0.34	-14	0.02	-0.09	-0.10	20.76	111.92	50.67	0.00
65%	6	2.9	48	69	17	42	2	9	-0.33	-15	0.01	-0.09	-0.10	18.97	110.41	50.19	0.00
70%	5	3.2	47	68	16	41	2	9	-0.32	-15	-0.01	-0.10	-0.09	16.95	108.75	49.71	0.00
75%	5	3.5	46	66	16	40	1	8	-0.31	-16	-0.03	-0.11	-0.09	14.93	106.98	49.21	0.00
80%	4	3.8	45	64	15	39	1	8	-0.30	-17	-0.05	-0.12	-0.09	12.66	105.00	48.65	0.00
85%	3	4.1	43	62	15	39	0	7	-0.29	-18	-0.07	-0.13	-0.09	10.28	102.82	48.02	0.00
90%	3	4.5	42	59	14	37	-1	6	-0.27	-20	-0.10	-0.15	-0.08	7.28	99.97	47.12	0.00
95%	2	5.2	39	55	13	36	-2	5	-0.23	-22	-0.14	-0.18	-0.07	3.27	95.58	45.85	0.00

Includes all active animals that meet the listing qualifications regardless of Shorthorn %

Active Dams



Statistical Breakdown

Non-Parents																	
Expected Progeny Differences														Index Values			
Growth and Maternal									Intake and Carcass								
	CED	BW	WW	YW	Milk	TM	CEM	STAY	YG	CW	CREA	MARB	CFAT	CEZ	BMI	F	Fescue
Num Animals	33396	33396	33396	33396	33396	33396	33396	33396	33396	33396	33396	33396	33396	33424	33424	33424	
High	24	12.8	92	139	38	86	16	25	0.17	42	1.61	0.75	0.05	86.03	201.26	80.90	0.00
Average	8	1.4	51	75	19	45	4	11	-0.35	-11	0.09	-0.03	-0.10	28.13	118.58	52.33	0.00
Low	-6	-7.9	2	-11	6	18	-8	-1	-1.04	-48	-0.48	-0.51	-0.22	-27.72	67.40	29.46	0.00
1%	18	-3.6	71	108	27	80	12	21	-0.52	12	0.45	0.31	-0.13	61.88	150.30	62.84	0.00
2%	17	-3.0	68	103	26	64	11	20	-0.50	9	0.41	0.25	-0.13	57.90	146.04	61.14	0.00
3%	16	-2.6	66	100	25	60	11	19	-0.48	8	0.38	0.21	-0.13	55.33	143.56	60.08	0.00
4%	16	-2.3	65	97	24	57	10	19	-0.47	6	0.35	0.18	-0.12	53.22	141.48	59.30	0.00
5%	15	-2.0	64	95	24	55	10	18	-0.47	5	0.34	0.15	-0.12	51.50	139.90	58.68	0.00
10%	13	-1.2	60	90	23	51	9	17	-0.44	1	0.27	0.09	-0.12	45.57	134.86	56.90	0.00
15%	12	-0.6	58	87	22	50	8	16	-0.43	-3	0.23	0.05	-0.12	41.75	131.60	55.83	0.00
20%	11	-0.2	57	84	21	48	7	15	-0.41	-5	0.20	0.03	-0.11	38.98	128.85	55.11	0.00
25%	11	0.2	56	82	21	48	7	14	-0.40	-7	0.17	0.01	-0.11	36.63	126.69	54.50	0.00
30%	10	0.5	55	81	20	47	6	13	-0.39	-8	0.15	-0.01	-0.11	34.53	124.69	53.94	0.00
35%	10	0.8	54	79	20	46	6	13	-0.38	-9	0.13	-0.02	-0.11	32.64	122.97	53.47	0.00
40%	9	1.1	53	78	19	46	5	12	-0.37	-10	0.11	-0.03	-0.10	31.03	121.29	53.00	0.00
45%	9	1.3	52	76	19	45	5	12	-0.36	-11	0.09	-0.04	-0.10	29.56	119.72	52.55	0.00
50%	8	1.5	51	75	19	44	5	11	-0.35	-12	0.07	-0.05	-0.10	27.88	118.23	52.11	0.00
55%	8	1.7	50	74	18	44	4	11	-0.34	-13	0.06	-0.06	-0.10	26.22	116.67	51.68	0.00
60%	7	2.0	49	72	18	43	4	10	-0.34	-14	0.04	-0.07	-0.10	24.41	115.21	51.28	0.00
65%	7	2.2	48	71	18	43	3	10	-0.33	-15	0.03	-0.08	-0.09	22.65	113.65	50.85	0.00
70%	6	2.5	47	69	17	42	3	9	-0.32	-15	0.01	-0.09	-0.09	20.81	111.98	50.40	0.00
75%	6	2.8	46	67	17	41	2	9	-0.31	-16	0.00	-0.10	-0.09	18.87	110.24	49.93	0.00
80%	5	3.1	45	66	16	40	1	8	-0.30	-17	-0.02	-0.10	-0.08	16.65	108.28	49.39	0.00
85%	5	3.4	44	63	16	40	1	7	-0.28	-18	-0.05	-0.12	-0.08	14.07	105.97	48.74	0.00
90%	4	3.9	42	61	15	38	0	7	-0.26	-20	-0.07	-0.13	-0.07	11.02	102.92	47.92	0.00
95%	3	4.5	40	57	14	37	-1	5	-0.20	-22	-0.11	-0.16	-0.05	6.86	98.31	46.67	0.00

Includes all active animals that meet the listing qualifications regardless of Shorthorn %

Non-Parents